| Entered in NID File Entered On S R Sheet Location Map Pinned Card Indexed IW R for State or Fee Land Checked by Chief Copy NID to Field Office Approval Letter Disapproval Letter | |
|--|---|
| Location Map Pinned Card Indexed I W R for State or Fee Land | |
| Card Indexed I W R for State or Fee Land | |
| | |
| | |
| COMPLETION DATA: Date Well Completed Location Inspected | |
| OW TA State of Fee Land |) |
| GWOSPA | |
| Driller's Log | |

CDW 4-12-90

Carry he SUBMIT IN TRI ATE

(Other instruct

Form approved. Budget Bureau No. 42-R1425.

3

S 40 S

Trong.

in a

L England

This

Negation

Sand

3

あるよう 15以

4

Ċ, 3

Sign 3

. ä

10 1

F.,

Perform retima

office are galeth 9 \$3000 \$3000 \$1000

S. P. Trigo

UNITED STATES

DEPARTMENT OF THE INTERIOR O. LEADE DESIGNATION AND SPEIAL NO. **GEOLOGICAL SURVEY** 6. IF INDIAN, ALLOTTER OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN. OR PLUG BACK 1a. TYPE OF WORK UNIT AGREEMENT NAME PLUG BACK DEEPEN DRILL X b. TYPE OF WELL MULTIPLE ZONE SINGLE OIL WELL I GAS WELL OTHER 2. NAME OF OPERATOR 9 Bulf Dil Corporation -3 3. ADDRESS OF OPERATOR P. O. Box 1971, Compar, Wyening

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* 10. FIELD AND POOL, OR WILDCAT M., OR BLE. 330 MSL, At proposed prod. sone (hisrodox 72, COUNTY OR PARISH 18, STATE 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* Š NO. OF ACRES ASSIGNED TO THIS WALL 16. NO. OF ACRES IN LEASE 15. DISTANCE FROM PROPOSED* 1 LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT; (Also to nearest drig, line, if any) 19. PROPOSED DEPTH 20. ROTARY OR CABLE COOLS 18. DISTANCE FROM PROPOSED LOCATION* 3 TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 22. APPROX. DATE 21. ELEVATIONS (Show whether DF, RT. GR, etc.) WORK WILL START VIII furnish later 23. PROPOSED CASING AND CEMENTING PROGRAM QUANTITY OF COMENT SIZE OF CASING WEIGHT PER FOOT SETTING DEPTH SIZE OF HOLE


| | ORIGINAL SIGNED by | | | | t in the second | | | | er - |
|----------|--------------------------------------|-------|---------|---------|---|----------|----------|--------|-----------|
| BIGNED | R. O. CHARLES | TITLI | -Aree 6 | ierical | Superv | *** | DATE_ | 5+3+4h | í· |
| (This sp | ace for Federal or State office use) | | Ye . | | | 18 X | <u> </u> | | w |
| PERMIT N | 0. | | APPROVA | L DATE | | <u> </u> | | | 12 |
| | | | | | | | | | 다. *** |
| | BY | TITL | | | | \$ | DATE | | 7 |

J-5/**3**** 00

12-1/4

*See Instructions On Reverse Side

T6S, R4W, U.S.M.



X = Corners Located (Stone)

Scale: | " = 1000"

1. Cass

By: ROSS CONSTRUCTION CO. Vernal, Utah

| PARTY Gene Stewart L. Taylor R. Stewart | SURVEY GULF OIL CORP. WELL LOCATION, LOCATED AS SHOWN IN THE SEI/4 SWI/4 SE I/4 OF | DATE May 29, 1964 REFERENCES GLO Plat Approved Oct, 18, 1904 |
|---|--|--|
| WEATHER Overcost-Cool | SECTION 10, T6S, R 4 W, U.S.M., DUCHESNE COUNTY, UTAH | FILE Gulf |

FORM 5202

Gulf Oil Corporation

PASI

J. Hanson
AREA EXPLORATION MANAGER

P. O. Box 1346 Salt Lake City, Utah

June 4, 1964

Utah Oil & Gas Conservation Commission Newhouse Building Salt Lake City 11, Utah

Attention Mr. Jack Feight

Gentlemen:

Reference is made to the location of a proposed well to be drilled by Gulf in the SE/4 SW/4 SE/4 of Section 10, Township 6 South, Range 4 West, USM, Duchesne County, Utah.

It was necessary to locate this well off-pattern due to the terrain in the area. The well is located in a canyon, and to move it would necessitate considerable dirt work, the cost of which would be excessive.

You have been furnished a plat showing the footage measurements of this location, and approval is requested because of the terrain problems.

Gulf controls all acreage within a mile of the proposed location.

Thank you for your cooperation.

Very truly yours,

Jack Hanson

JH:BB



June 5 . 1964 Gulf Oil Corporation P. O. Box 1971 Casper, Wyoming Attention: Mr. R. O. Charles, Area Clerical Supervisor Re: Notice of Intention to Drill Well No. RIGHT FORK-FEDERAL #1. 330' FSL & 1645' PML, SE SW SE of Section 10. T. 6 S., R. 4 W., USM, Duchesne County, Utsh. Gentlemen: Insofar as this office is concerned, approval to drill said well on said unorthodex location is hereby granted in accordance with Rule C-3 (c), General Rules and Regulations and Rules of Practice and Procedure, Utah State Oil and Gas Conservation Commission As soon as you have determined that it will be necessary to plug and abandon the above mentioned well, you are hereby requested to immediately notify the following: PAUL V. MURCHELL, Chief Petroleum Engineer Office: DA 8-5771 or DA 8-5772 CR 7-2890 - Salt Lake City, Utah This approval terminates within 90 days if this well has not been spudded within said period. Enclosed please find Form OGCC-8-X, which is to be completed if water sands (aquifers) are encountered while drilling, particularly assessable near surface water sands. Your cooperation with respect to completing this form will be greatly appreciated. Very truly yours. OIL & GAS COMSERVATION CONCISSION CLECK B. PRIGHT EXECUTIVE DIRECTOR CHI: kgw cc: Rodney Smith, Dist. Eng., U. S. Geological Survey, Salt Lake City, Utah H. L. Coonts, Pet. Eng., Oil & Gas Conservation Commission, Mosb, Utah

UNITED STATES DEPARTMENT OF THE INTERIOR

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved. Budget Bureau No. 42-R355.5.

| LEASE | DESIGNATION | AND | SERIAL | N |
|-------|-------------|-----|--------|---|

| verse side) | 5. LEASE | DESIGN |
|-------------|----------|--------|
| | U-04 | 8130 |

| U_{E} | | GE | OLOGIC | AL S | URVEY | | Tevers | , | U-04813 | } 0 | |
|--------------------------|------------|----------------|--------------------------|-----------------------|---------------------------------------|------------------------------|---|--|----------------------------|-----------------|-------------------------|
| WELL CO | MPLE" | TION C | R RECO | MPLI | ETION F | REPORT A | ND LOC | 3* | 6. IF INDIAN, | ALLOT | THE OR TRIBE NAM |
| TYPE OF WE | LL: | OII, | GAS WELL | X | 7 - 198 | Other | | | 7. UNIT AGRE | EMENT | NAME |
| TYPE OF COM | work [| DEEP- | | YATA | | Carl - | | }. | S. FARM OR I | EASE | NAME |
| NEW WELL X | OVER L | EN [| U (1) | ///// | S S | Orac - | | | | | -Federal |
| Gulf Oil | | ration | | $n N \overline{N}$ | | - NTE | | | 9. WELL NO. | | |
| ADDRESS OF OPI | | _ | | | | 5 <i>[[[]</i> | /////////////////////////////////////// | | 10. FIELD ANI | n POOL | OR WILDCAT |
| P. O. BOJ | K 1971 | rt location c | learly and in | ng accorda | nce with any | y State requirem | ents) | | WI Idca | | |
| At surface | | . 1645* | | | W SE) | | _ | | 11. SEC., T., R OR AREA | ., м., о | OR BLOCK AND SURV |
| At top prod. in | | • | | | | | | | 10-6S- | 4W. | USM |
| At total depth | | | | | | | | | | _ | |
| | | | | 14. | PERMIT NO. | DA' | re issued | | 12. COUNTY O | | 13. STATE |
| DATE SPUDDED | 16. DAT | TE T.D. REAC | HED 17, DA | TE COMP | L. (Ready to | | LEVATIONS (DI | F. RKB. R' | Duches | | Utah LEV. CASINGHEAD |
| 8-3-64 | 1 | 8-23-64 | | 7 & | A 8== | 14-64 | | _ , , | -,,, | | |
| TOTAL DEPTH, MD | | | ACK T.D., MD & | TVD | 22. IF MULT HOW M | TIPLE COMPL., | 23. INTE | RVALS LED BY | ROTARY TOOL | .s | CABLE TOOLS |
| 5525' TO | | | • | D. DOWN | NAME (3 | AD AND MUD)* | | → | All | 1 25 | , WAS DIRECTIONA |
| PRODUCING INTE | ERVAL(S), | OF THIS CON | aPLETION—TO | P, BUTT | JM, MAME (X | ID AND IVD) | | | | - | SURVEY MADE |
| DRY, PLU | GGED A | ND ABAN | DONED | | | | | | | | No |
| TYPE ELECTRIC | | | · | • | | _ | | | | 27. w. | AS WELL CORED |
| Induction | n Elec | trical | Survey, | Micr | olog, Gi | R Sonic | -t in anall) | | | | No |
| CASING SIZE | WEIG | HT, LB./FT. | DEPTH S | | | ort all strings se | | ENTING F | ECORD | - | AMOUNT PULLED |
| 8-5/8" | | 24# | 30 |)4 1 | 12. | -1/4" | 1; | 70 sac | :ks | | None |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | LIN | VER RECOR |) | · · · · · · · · · · · · · · · · · · · | 1 | 30. | | UBING RECO | | |
| SIZE | TOP (| мр) во | OTTOM (MD) | SACKS | S CEMENT* | SCREEN (MD) | SIZE | D | EPTH SET (MI |) | PACKER SET (MD |
| None | | | | _ | | | _ | | Hone | | |
| PERFORATION RE | ECORD (Int | terval, size d | and number) | | | 32. | ACID, SHOT, | FRACTU | RE, CEMENT | SQUI | EEZE, ETC. |
| | | | | | | DEPTH INTER | VAL (MD) | AMO | UNT AND KINI | OF, M | MATERIAL USED |
| None | | | | | | None | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | DUCTION | | - | | | |
| FIRST PRODUC | TION | PRODUCT | ION METHOD | (Flowing | g, gas lift, pr | umping—size an | d type of pum | ıp) | | STATUS t-in) | s (Producing or |
| NONE E OF TEST | HOURS | TESTED | CHOKE SIZE | PR | od'n. for | OILBBL. | GAS-MC | CF. | WATER-BBL. | . | GAS-OIL RATIO |
| | | | | TE | ST PERIOD | | | | | | |
| W. TUBING PRESS. | CASING | PRESSURE | CALCULATED 24-HOUR RA | | LBBL. | GAS-MC | FF. | WATER- | BBL. | OIL G | RAVITY-API (CORR.) |
| DISPOSITION OF | GAS (Sold | , used for fue | <u> </u> | .) | | <u> </u> | 1 | | TEST WITNES | SED B | Ÿ |
| Hone | | | | | | | | | | | |
| LIST OF ATTACI | | | | | | | | | | | provisions |
| Of State I hereby certif | y that the | foregoing a | equiation and attached | ns. informa | tion is comp | forward olete and correct | as determine | tne e | nd of the | ecords | x month per |
| Or | riginal S | igned By | | - | | | | | | | 0 16 dt |
| SIGNED | STER L | eFAVOUR | | | TITLE | Area Prod | uction M | enage | L DATE | · | 9-16-64 |
| | | | | | | | | | | | |

*(See Instructions and Spaces for Additional Data on Reverse Side)

(2)√ Ashland Oil & Rfng. Co. (1) Utah OSG Cons. Comm. Shamrock OSG Corp.

* 14 K

NSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions. If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing intervals, to intervals, bottom (s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.) Hem 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. or Federal office for specific instructions.

April 26, 1965

Gulf Oil Corporation P. O. Box 1971 Casper, Wyoming

Attention: Mr. Lester LeFavour, Area Prod. Manager

Re: Well Mo. Right Fork Federal #1 Sec. 10, T. 6 S., R. 4 W., Duchesne County, Utah

Gentlemen:

This letter is to advise you that the Subsequent Report of Abandonment and Plugging of the above mentioned well is due and has not been filed with this Commission as required by Rule D-2 of our rules and regulations. It would be appreciated if we could receive the elevations of said well.

It would also be appreciated if you could complete the enclosed Forms OGCC-8-X, and return to this office as soon as possible.

Thank you.

Very truly yours.

OIL & GAS COMSERVATION COMMISSION

KATHY G. WARNER RECORDS CLERK

kgw

Enclosure - Forms

MUV

L. W. LeFavour

AREA PRODUCTION MANAGER

B. W. MIII er

AREA EXPLORATION MANAGER

Gulf Oil Corporation

CASPER PRODUCTION AREA

P. O. Box 1971 Casper, Wyo. 82602

May 10, 1965

Utah Oil & Gas Conservation Commission 348 East South Temple - Suite 301 Salt Lake City, Utah 84111

Re: Right Fork-Federal No. 1 Section 10-6S-4W Duchesne County, Utah

Gentlemen:

As requested in your letter dated April 26, 1965, attached are two copies of completed Form OGCC-8-X on the captioned well.

Also attached are two copies of United States Geological Survey Form 9-331, which reports the actual plugging of the well. Although we had filed a Notice of Intention to Plug and Abandon this well and also the Well Completion Report, we had not filed Form 9-331. Thank you for calling this to our attention.

The elevations of this well, which you requested, are shown on this form.

Very truly yours,

J. D. Mackay

WJC:sjn

Attachments



H

FORM OGCC-8-X

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION 348 EAST SOUTH TEMPLE SUITE 301 SALT LAKE CITY, UTAH

REPORT OF WATER ENCOUNTERED DURING DRILLING

| | | | | | | |
|----------------------|---------------|-------------------|-------------------------------|---------------------------------|--------------------|----|
| Well Name & Number:_ | Right Fo | rk-Federal I | No. 1 | | | _ |
| Operator Gulf Oil (| | | P. O. Bo ss <u>Casper.</u> | x 1971 Wyoming terson Bui | Phone 235-5783 | _ |
| Contractor Exeter | Drilling Comp | any _Addre | | | | _ |
| Location SE SW SE | 戈 Sec. 10 T. | 6 XX R. | 4 XXX USM | Duchesne | County, Uta | ıh |
| Water Sands: | | | | | | |
| <u>Depth</u> | | <u>Volu</u> | ıme | | Quality | |
| From T | o' | Flow Rate o | or Head | | Fresh or Salty | |
| 1 NO | NE | | | | | _ |
| 2 | | | | | | _ |
| 3 | | | | | | _ |
| 4 | | | | | | _ |
| 5 | | | | · | | _ |
| | | | (Continued | on reverse | side if necessary) | |
| Formation Tops: | | | | | | |
| | | | | | | |
| Remarks: | | | | | | |

(a) Upon diminishing supply of forms, please inform the Commission.

- (b) Report on this form as provided for in Rule C-20, General Rules and Regulations and Rules of Practice and Procedure, (See back of form).
- (c) If a water analysis has been made of the above reported zone, please forward a copy along with this form.

NOTE:

SUBMIT IN TR

Form approved. Budget Bureau

| · · | | U-048130 | | | |
|------------------------------|---|--|---|--|--|
| | | 6. IF INDIAN, ALLOTTE | E OR TRIBE NAME | | |
| | | 7. UNIT AGREEMENT N | | | |
| | | 8. FARM OR LEASE NA | ME | | |
| | | Right Fork- | Federal | | |
| | | 9. WELL NO. | | | |
| ar. Woming 82602 | | 1 | | | |
| | | 10. FIELD AND POOL, OR WILDCAT Wildcat | | | |
| (SE SW SE) | | 11. SEC., T., R., M., OR SURVEY OR AREA | | | |
| | | 10-65-4W | USM | | |
| 15. ELEVATIONS (Show whether | er DF, RT, GR, etc.) | 12. COUNTY OR PARISI | 13. STATE | | |
| KB 6804.5* | Gr 6793.5° | Duchesne | Utah | | |
| propriate Box To Indicat | e Nature of Notice, Report, or | Other Data | | | |
| TION TO: | SUBSE | QUENT REPORT OF: | | | |
| PULL OR ALTER CASING | WATER SHUT-OFF | REPAIRING | WELL | | |
| MULTIPLE COMPLETE | FRACTURE TREATMENT | ALTERING (| ASING | | |
| ABANDON* | SHOOTING OR ACIDIZING | ABANDONME | NT* | | |
| CHANGE PLANS | (Other) | | <u> </u> | | |
| | (Note: Report result | ts of multiple completion | on Well | | |
| | ICES AND REPORT Tals to drill or to deepen or plation FOR PERMIT—" for au Br. Wyoming 82602 Tearly and in accordance with (SE SW SE) 15. ELEVATIONS (Show whether KB 6804.5° | SECLOGICAL SURVEY ICES AND REPORTS ON WELLS Isla to drill or to deepen or plug back to a different reservoir. ICION FOR PERMIT—" for such proposals.) BY. Wyoming 82602 Icearly and in accordance with any State requirements.* (SE SW SE) IS. BLEVATIONS (Show whether DF, BT, GR, etc.) KB 6804.5* Gr 6793.5* OPPOPURITE BOX TO Indicate Nature of Notice, Report, or TION TO: BUBSE WATER SHUT-OFF FRACTUBE TREATMENT SHOOTING OR ACIDIZING (Other) (NOTE: Report result) | SEOLOGICAL SURVEY ICES AND REPORTS ON WELLS TO A FOR PERMIT—" for such proposals.) 7. UNIT AGREEMENT N 8. FARM OR LEASE NA Right Fork— 9. WELL NO. 10. FIELD AND POOL, O Wildcat 11. SEC., T. R., M., OR SURVEY OR ARE. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) KB 6804.5 Gr 6793.5 Dughesne POPPOPRIATE CASING WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE ABANDON* U-048130 6. IF INDIAN, ALLOTTE 6. IF INDIAN, ALLOTTE 6. IF INDIAN, ALLOTTE 7. UNIT AGREEMENT N 8. FARM OR LEASE NA Right Fork— 9. WELL NO. 10. FIELD AND POOL, O WI Idcat 11. SEC., T. R., M., OR SURVEY OR ARE. 12. COUNTY OR PARISI DUGHESNE PLACTURE TREATMENT ABANDON* ABANDON ALTERING OF ACIDIZING ABANDON ALTERING OF ACIDIZING ABANDON ALTERING OF ACIDIZING ABANDON ALLOTTE | | |

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Well was abandoned and plugged on 8-25-64 as follows:

30 sack cement plug 5280° to 5350° 30 sack cement plug 4270' to 4350' 30 sack cement plug 3910° to 3980° 30 sack cement plug 2300° to 2350° 20 sack cement plug 275' to 325' 10 sack cement plug bottom cellar

| 18. I hereby certify that the foregoing is true and correct ORIGHMAL CICNED BY SIGNED 1. D. MAGARY | TITLE Area Engineer | DATE May 10, 1965 |
|--|---------------------|-------------------|
| (This space for Federal or State office use) | | |
| APPROVED BYCONDITIONS OF APPROVAL, IF ANY: | TITLE | DATE |

Utah 06G Cons. Comm. (2)√ Ashland Oil & Rfng. Co. Box 1503, Houston (1) Box 18695, Oklahoma City (1)

*See Instructions on Reverse Side